

FROM:	TO	INITIALS	DATE	REMARKS
DIR				
DEP/DIR				
EXEC/DIR	1	10-2		F4I PAC cables
TECH ADV				
ASST FOR ADMIN				
CH/SS				
CH/MSS				
ASST FOR OPS	2			
ASST FOR PA				
ASST FOR P&D				
CH/CSD				
CH/IPD				
CH/PD				
CH/PSD				
CH/TID				
CH/CIA/PID				
CH/DIA/XX-4				
CH/DIA/AP-IP				
CH/SPAD				
LO/CGS/CIA				
LO/NSA				

NPIC-FM 30 (REV 4-66)

**TOP SECRET****PRIORITY**

25X1

OUT58238

P 160040Z  
FM NPIC  
TO DIRNSA  
CNO

1606 APR 16 00 52Z

25X1

18 APR 1966

OPCEN  
STATE/RCI  
CINCLANTFLT  
CINCPACFLT  
CINCUSNAVEUR  
CINCLANT  
CINCPAC  
LANTINTCEN  
FICPAC  
COMNAVFORJAPAN  
COMSECONDFLT  
YDHAVQC/CINCEUR  
YHLAKAC/USARPAC  
AFSCC  
AFSSO 8TH AF  
AFSSO PACAF  
AFSSO ACIC  
AFSSO FTD  
AFSSO AFSC  
AFSSO BSD  
AFSSO ESD  
AFSSO SSD  
AFSSO USAF  
AFSSO SAC  
AFSSO USAFE  
INFO FICEUR  
ZEM

34

5

6

7

8

Advanced copy  
Sanitized

**TOP SECRET**

CITE NPIC 6929.

25X1

REF OAK MISSION 4026,

25X1

CONTINUING ANALYSIS OF MISSION 4023 AND 4026 REVEALS THAT THE

**TOP SECRET**

GROUP 1  
Excluded from automatic  
downgrading and  
declassification

25X1

-2-

1

PREVIOUSLY IDENTIFIED PROBABLE TROPOSCATTER ANTENNAS REPORTED AT THE ELECTRONICS SITE NEAR GORKIY, USSR AT 56-17N/43-45E, IN OAK 4026 ARE NOT TROPOSCATTER ANTENNAS BUT PROBABLY REPRESENT RESEARCH/ TESTING OF A NEW TYPE OF RADAR OR RADARS.

A CLOSER ANALYSIS OF THE ANTENNAS REVEALS THAT THEY ROTATE ON LARGE CIRCULAR PLATFORMS, MEASURING APPROXIMATELY 50 FEET IN DIAMETER, SITUATED ATOP LARGE BUILDINGS. MENSURAL ANALYSIS INDICATES THAT THE ANTENNAS MEASURE APPROXIMATELY 170 FEET AND 200 FEET IN WIDTH, RESPECTIVELY. HOWEVER, THIS DOES NOT NECESSARILY INDICATE TWO DIFFERENT TYPES OF ANTENNAS SINCE THE LIMITATIONS OF THE PHOTOGRAPHY ARE SUCH THAT ACCURATE MEASUREMENTS ARE PREVENTED. THE HEIGHT OF THE ANTENNA MEASURES APPROXIMATELY 100 FEET. SHADOW ANALYSIS REVEALS THAT ONE OF THE ANTENNAS CONSISTS OF TWO LARGE VERTICAL MEMBERS AND AT LEAST 5 CROSS MEMBERS.

25X1

MAP REF: USATC 154-25HL, SERIES 200, 3RD ED, MAY 63.

GP-1

T O P S E C R E T

25X1

--END OF MESSAGE--

25X1